

## **MVP Southgate Project**

Docket No. CP19-14-000

**Attachment 6** 

**Residential Site-specific Plans** 

### **Residential Access Road Drawings**

Revised Table 8-D Structures within 50 Feet of the MVP Southgate Project

May 2019

# Mountain Valley

### MVP SOUTHGATE PROJECT

PROPOSED H-650 PIPELINE ENGINEERING SERVICES DESIGN; JOB NUMBERS 300423 RESIDENTIAL DRAWINGS



PROPOSED H-650 PIPELINE ENGINEERING SERVICES DESIGN; JOB NUMBERS 300423 RESIDENTIAL DRAWING NOTES

#### **GENERAL NOTES:**

SAFETY FENCE, IN CONJUNCTION WITH ANY PROPOSED EROSION AND SEDIMENTATION CONTROL DEVICES, WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (LOD) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA. WHERE NECESSARY, HARD BARRIERS SUCH AS JERSEY BARRIERS WILL BE INSTALLED TO PROVIDE A SOLID, PROTECTIVE BARRIER.

STRUCTURES WITHIN LOD WILL BE REMOVED, RELOCATED, OR PROTECTED PER LAND OWNER AGREEMENT.

PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY MAY NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.

AREAS OF PERMANENT EASEMENT WILL BE PERMANENTLY MAINTAINED PER USDOT PHMSA REQUIREMENTS. TEMPORARY WORKSPACES WOULD BE ALLOWED TO REVERT BACK TO PRE-EXISTING USES. OTHER MINOR ITEMS WILL BE ADDRESSED THROUGH LANDOWNER STIPULATIONS SPECIFIC TO THE PROPERTY.

CONSTRUCTION CREWS WILL UTILIZE DUST CONTROLS MEASURES AS NEEDED, INCLUDING WETTING AND BRUSHING OF ROADS.

WORK HOURS WILL BE LIMITED TO 7 AM TO 7 PM OR SUNSET (WHICHEVER IS LATER) UNLESS OTHER ARRANGEMENTS HAVE BEEN AGREED UPON WITH LANDOWNER.

#### **CONSTRUCTION METHODS:**

THE STOVE PIPE METHOD IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.

THE DRAG SECTION CONSTRUCTION METHOD, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.

MAINLINE CONSTRUCTION IS THE MOST EFFICIENT CONSTRUCTION METHOD. THIS METHOD IS SIMILAR TO STOVE PIPE AND DRAG SECTION INSTALLATION, BUT ON A LARGER SCALE. ALL STEPS OF THE CONSTRUCTION PROCESS (CLEARING, GRADING, TRENCHING, STRINGING & BENDING, WELDING & COATING, LOWERING & BACKFILL) OCCUR OVER LARGE STRETCHES OF RIGHT-OF-WAY TO MAXIMIZE EFFICIENCY OF THE CONSTRUCTION SPREADS. MAINLINE CONSTRUCTION IS TYPICALLY UTILIZED WHERE LARGE STRETCHES OF PIPELINE ROW ARE UNINTERRUPTED. THIS METHOD MAY BE USED NEAR STRUCTURES WHERE OFFSET FROM WORKSPACES IS LARGE ENOUGH TO FACILITATE SAFE AND PRACTICAL IMPLEMENTATION

DRAWN TRC CHECKED SSL	DATE 05/01/2019 DATE 05/01/2019	RESIDENTIAL NOTES		
APP'D SCALE N.T.S. JOB NO.	DATE SHEET 1 OF 2	MOUNTAIN VALLEY PIPELINE SOUTHGATE PROJECT PROPOSED H-650 PIPELINE RESIDENTIAL DRAWING NOTES		ISSUED FOR FERC SUPPLEMENTAL FILING 05/20/19
PROJECT ID:		drawing no. RES—NOTES	rev. P	



PROPOSED H-650 PIPELINE ENGINEERING SERVICES DESIGN; JOB NUMBERS 300423 RESIDENTIAL DRAWING NOTES

#### CLEANUP AND REVEGETATION PLANS

SUBSOIL AND TOPSOIL (UP TO 12 INCHES) IN RESIDENTIAL AREAS WILL BE SEGREGATED AND RETURNED TO PRE-CONSTRUCTION GRADE AS SHOWN ON DRAWINGS.

IF SOILS ARE REQUIRED TO BE IMPORTED (E.G. IF TOP SOILING IS NOT PRACTICAL), THEY WILL BE CERTIFIED AS FREE OF NOXIOUS WEEDS AND SOIL PESTS, UNLESS OTHERWISE APPROVED BY THE LANDOWNER. IF TREES ARE NEEDED TO BE REMOVED FROM THE LANDSCAPE FOR CONSTRUCTION, THEY WILL BE REPLACED WITH THE SAME SPECIES OR SIMILAR BASED ON LANDOWNER REQUESTS.

RESTORE ALL TURF, ORNAMENTAL SHRUBS, AND SPECIALIZED LANDSCAPING IN ACCORDANCE WITH THE LANDOWNER'S REQUEST, OR COMPENSATE THE LANDOWNER. RESTORATION WORK MUST BE PERFORMED BY PERSONNEL FAMILIAR WITH LOCAL HORTICULTURAL AND TURF ESTABLISHMENT PRACTICES.

ALL DISTURBED RESIDENTIAL UPLAND AREAS WILL BE MULCHED BEFORE SEEDING IF FINAL GRADING AND INSTALLATION OF PERMANENT EROSION CONTROL MEASURES WILL NOT BE INSTALLED WITHIN 10 DAYS OF COMPLETION.

ALL LAWN AREAS AND IMPACTED LANDSCAPING WILL BE RESTORED FOLLOWING CLEAN-UP OPERATIONS AS SOON AS REASONABLY POSSIBLE, OR AS SPECIFIED IN THE LANDOWNER AGREEMENT. IF SEASONAL OR OTHER WEATHER CONDITIONS PREVENT COMPLIANCE WITH THESE TIME FRAMES, TEMPORARY EROSION CONTROLS (SEDIMENT BARRIERS AND MULCH) WILL BE MAINTAINED UNTIL CONDITIONS ALLOW COMPLETION OF RESTORATION.

IF CRUSHED STONE ACCESS PADS ARE USED IN RESIDENTIAL AREAS THEY WILL BE INSTALLED ON TOP OF SYNTHETIC FABRIC TO FACILITATE EASY REMOVAL.

EXCESS ROCK FROM THE TOP 12 INCHES OF SOIL IN RESIDENTIAL AREAS WILL BE REMOVED UNLESS OTHER ARRANGEMENTS WITH LANDOWNER HAVE BEEN AGREED UPON.

TOPSOIL AND SUBSOIL COMPACTION WILL MEET PRECONSTRUCTION CONDITIONS AND WHERE NECESSARY, SOIL COMPACTION MITIGATION MAY BE REQUIRED TO MITIGATE FOR SEVERELY COMPACTED RESIDENTIAL AREAS.

OTHER RESTORATION DETAILS, INCLUDING REVEGETATION REQUIREMENTS RELATED TO LAWNS, MAY BE SPECIFIC TO LANDOWNER STIPULATIONS.

CONDUCT FOLLOW-UP INSPECTIONS OF ALL DISTURBED AREAS, AS NECESSARY, TO DETERMINE THE SUCCESS OF REVEGETATION AND ADDRESS LANDOWNER CONCERNS. AT A MINIMUM, CONDUCT INSPECTIONS AFTER THE FIRST AND SECOND GROWING SEASONS.

#### LANDOWNER COMPLAINT RESOLUTION PROCESS

IN THE EVENT OF AN ISSUE, LANDOWNERS ARE DIRECTED TO CONTACT THEIR LOCAL MVP SOUTHGATE LAND REPRESENTATIVE. LANDOWNERS CAN ALSO REACH PROJECT PERSONNEL BY CALLING 1-833-MV-SOUTH OR EMAILING MAIL@MVPSOUTHGATE.COM

AFTER WORKING WITH THE SOUTHGATE PROJECT REPRESENTATIVE AND APPROPRIATE RIGHT-OF-WAY AGENT, IF THE LANDOWNER IS STILL NOT COMPLETELY SATISFIED WITH THE RESOLUTION, THE INDIVIDUAL SHOULD CONTACT THE COMMISSION'S LANDOWNER HELPLINE AT (877) 337-2237, OR BY EMAIL, LANDOWNERHELP@FERC.GOV.

DRAWN TRC CHECKED	DATE 05/08/2019 DATE		RESIDENTIAL NOTES		]
APP'D SCALE N.T.S. JOB NO.	DATE SHEET 2 OF 2		MOUNTAIN VALLEY PIPELINE SOUTHGATE PROJECT PROPOSED H—650 PIPELINE RESIDENTIAL DRAWING NOTE	Ē	ISSUED FOR FERC SUPPLEMENTAL FILING 05/20/19
PROJECT ID:			drawing no. RES-NOTES CONT.	rev. P	



PROPOSED H-650 PIPELINE ENGINEERING SERVICES DESIGN; JOB NUMBERS 300423 RESIDENTIAL DRAWING NOTES


	A	A management of the set of	Additional	
	Anticipated	Approximate		
Residential Plan Drawing	Construction Method	Construction Duration		Restoration Plan
RSS-H650-001	Mainline	15 Days	None identified at	See General
			this time.	Restoration Note
RSS-H650-002	Mainline	15 Days	None identified at	See General
1050 002	Wannie	15 5033	this time.	Restoration Note
RSS-H650-003	NA - Yard	400 Days		See General
K35-1050-005	NA - Talu	400 Days	Install hard barriers	Restoration Note
RSS-H650-004	Mainline	15 Days	None identified at	See General
K33-H030-004	wannie	15 Days	this time.	<b>Restoration Note</b>
RSS-H650-005	Mainline	15 Davia	None identified at	See General
K33-0000-005	Iviainine	15 Days	this time.	<b>Restoration Note</b>
	Change Diago	25 D	None identified at	See General
RSS-H650-006	Stove Pipe	35 Days	this time.	Restoration Note
	NA 11	45.0	None identified at	See General
RSS-H650-008	Mainline	15 Days	this time.	Restoration Note
		45.0	None identified at	See General
RSS-H650-009	Mainline	15 Days	this time.	Restoration Note
		45.0	None identified at	See General
RSS-H650-015	Mainline / Drag	15 Days	this time.	Restoration Note
		15.5	None identified at	See General
RSS-H650-016	Mainline	15 Days	this time.	Restoration Note
				See General
RSS-H650-017	Stove Pipe	50 Days	Install hard barriers	Restoration Note
			None identified at	See General
RSS-H650-018	Stove Pipe	75 Days	this time.	Restoration Note
				See General
RSS-H650-024	NA - Access Road	200 Days	Install hard barriers	Restoration Note
			None identified at	See General
RSS-H650-025	NA - Access Road	200 Days	this time.	Restoration Note


RSS-H650-026	NA - Access Road	200 Davis		See General
K33-H050-020	NA - ACCESS ROAU	200 Days	Install hard barriers	Restoration Notes
RSS-H650-027	NA - Access Road	200 Davis	None identified at	See General
K55-H050-027	NA - Access Road	200 Days	this time.	Restoration Notes
RSS-H650-028	NA - Access Road	200 Davia	None identified at	See General
K55-H050-028	NA - Access Road	200 Days	this time.	Restoration Notes
RSS-H650-029	NA - Access Road	200 Days	None identified at	See General
K55-H050-029	NA - Access Road	200 Days	this time.	Restoration Notes
RSS-H650-030	NA - Access Road	200 Days		See General
K33-H030-030	NA - Access Road	200 Days	Install hard barriers	<b>Restoration Notes</b>
RSS-H650-031	Mainline	25 Davis	None identified at	See General
K33-H050-051	wamme	25 Days	this time.	<b>Restoration Notes</b>
RSS-H650-032	Mainline	15 Dev.	None identified at	See General
K33-H050-052	wamme	15 Days	this time.	<b>Restoration Notes</b>
RSS-H650-033	NA - Yard	400 Davis		See General
K33-H050-055	NA - Taru	400 Days	Install hard barriers	Restoration Notes
RSS-H650-034	Mainline	25 Davis	None identified at	See General
K55-H050-034	wainine	35 Days	this time.	Restoration Notes
RSS-H650-035	Mainline	15 Davis	None identified at	See General
K35-H050-035	Mainine	15 Days	this time.	<b>Restoration Notes</b>
RSS-H650-036	Mainline	15 Days	None identified at	See General
K33-H030-030	Wainine	15 Days	this time.	<b>Restoration Notes</b>
RSS-H650-037	NA - Access Road	200 Days	None identified at	See General
K33-H030-037	NA - Access Road	200 Days	this time.	<b>Restoration Notes</b>
RSS-H650-038	NA - Access Road	200 Davis	None identified at	See General
K33-0000-038	INA - ACCESS ROad	200 Days	this time.	<b>Restoration Notes</b>
RSS-H650-039	Mainline / Road Bore	25 Davis	None identified at	See General
K33-000-039	Mainine / Koad Bore	25 Days	this time.	<b>Restoration Notes</b>
RSS-H650-040	NA - Access Road	200 Days	None identified at	See General
K33-0000-040	INA - ACCESS NOBO	200 Days	this time.	<b>Restoration Notes</b>


#### NOTE:


CONSTRUCTION METHOD AND DURATION MAY CHANGE DUE TO LANDOWNER REQUESTS, FIELDS CONDITIONS, AND OTHER CONSIDERATIONS.


	DATE 05/08/2019 DATE 05/09/2019	RESIDENTIAL NOTES		
APP'D SCALE N.T.S. JOB NO.	DATE SHEET 1 OF 2	MOUNTAIN VALLEY PIPELINE SOUTHGATE PROJECT PROPOSED H-650 PIPELINE RESIDENTIAL DRAWING NOTES		ISSUED FOR FERC SUPPLEMENTAL FILING 05/20/19
PROJECT ID:		drawing no. RES—NOTES SITE SPECIFIC	rev. P1	

















































































PROPOSED H-650 PIPELINE ENGINEERING SERVICES DESIGN; JOB NUMBERS 300423 RESIDENTIAL ACCESS ROAD DRAWINGS

DRAWING NO	DRAWING TITLE	REV
RSD-COV	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H850 PIPELINE RESIDENTIAL ACCESS ROAD DRAWINGS	p
RSD-NOTES	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED HISSI PIPELINE RESIDENTIAL ACCESS ROAD NOTES	p
RSD-H650-001	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H850 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	p
RSD-H650-002	MOUNTA'N VALLEY P PELINE PROJECT PROPOSED H550 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	p
RSD-H650-003	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H550 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	p
RSD-H650-004	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	p
RSD-H650-005	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	p
RSD-H650-006	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	P
RSD-H650-007	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	P
RSD-H650-008	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE PITTSYLVANIA COUNTY VIRGINIA	Р
RSD-H650-009	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	Р
RSD-H650-010	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	Р
RSD-H650-011	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	Р
RSD-H650-012	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	Р
RSD-H650-013	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGINIA	P
RSD-H650-014	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGINIA	p
RSD-H650-015	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-016	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-017	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-018	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-019	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-020	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-021	MOUNTA N VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ROCKINGHAM COUNTY VIRGIN'A	P
RSD-H650-022	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H550 PIPELINE ROCKINGHAM & GUILFORD COUNTIES VIRGINIA	p
RSD-H650-023	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	P
RSD-H650-024	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H550 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	p
RSD-H650-025	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	p
RSD-H650-026	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	p
RSD-H650-027	MOUNTAIN VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	p
RSD-H650-028	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	p
RSD-H650-029	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H550 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	p
RSD-H650-030	MOUNTAIN VALLEY PIPELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	P
RSD-E650-031	MOUNTAIN VALLEY P PELINE PROJECT PROPOSED H650 PIPELINE ALAMANCE COUNTY NORTH CAROLINA	P

DRAWN TRC CHECKED SSL	DATE 05/17/2019 DATE 05/17/2019	RESIDENTIAL ACCESS ROAD CO	OVER	
APP'D SCALE N.T.S. JOB NO.	DATE SHEET 1 OF 1	MOUNTAIN VALLEY PIPELINE SOUTHGATE PROJECT PROPOSED H—650 PIPELINE RESIDENTIAL ACCESS ROAD DRAWINGS		ISSUED FOR FERC SUPPLEMENTAL FILING 05/20/19
PROJECT ID:		DRAWING NO. RSD-COVER P		



PROPOSED H-650 PIPELINE ENGINEERING SERVICES DESIGN; JOB NUMBERS 300423 RESIDENTIAL ACCESS ROAD DRAWING NOTES

#### GENERAL NOTES:

ACCESS ROADS DENOTED IN THIS PACKAGE MAY SEE THE FOLLOWING CONSTRUCTION ACTIVITIES: PIPE AND MATERIAL DELIVERIES, EQUIPMENT HAULING, HEAVY AND LIGHT TRUCK TRAFFIC.

THE PROJECT WILL UTILIZE FLAGGERS AND COMMUNICATION TO ENSURE ACCESS IS MAINTAINED TO RESIDENCES. WORK HOURS WILL BE LIMITED TO 7 AM TO 7 PM OR SUNSET (WHICHEVER IS LATER) UNLESS OTHER ARRANGEMENTS HAVE BEEN AGREED UPON WITH LANDOWNER.

PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY MAY NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.

CONSTRUCTION CREWS WILL UTILIZE DUST CONTROLS MEASURES AS NEEDED, INCLUDING WETTING AND BRUSHING OF ROADS.


#### LANDOWNER COMPLAINT RESOLUTION PROCESS


IN THE EVENT OF AN ISSUE, LANDOWNERS ARE DIRECTED TO CONTACT THEIR LOCAL MVP SOUTHGATE LAND REPRESENTATIVE. LANDOWNERS CAN ALSO REACH PROJECT PERSONNEL BY CALLING 1-833-MV-SOUTH OR EMAILING MAIL@MVPSOUTHGATE.COM


IF AFTER WORKING WITH THE SOUTHGATE PROJECT REPRESENTATIVE AND APPROPRIATE RIGHT-OF-WAY AGENT, THE LANDOWNER IS STILL NOT COMPLETELY SATISFIED WITH THE RESOLUTION, THE INDIVIDUAL SHOULD CONTACT THE COMMISSION'S LANDOWNER HELPLINE AT (877) 337-2237, OR BY EMAIL, LANDOWNERHELP@FERC.GOV.


DRAWN TRC CHECKED SSL	DATE 05/17/2019 DATE 05/17/2019	RESIDENTIAL ACCESS ROAD N	IOTES		
APP'D SCALE N.T.S.	DATE SHEET 1 OF 1	MOUNTAIN VALLEY PIPELINE SOUTHGATE PROJECT			
JOB NO.		PROPOSED H-650 PIPELINE RESIDENTIAL ACCESS ROAD DRAWINGS			
PROJECT ID:		drawing no. RSD—NOTES	rev. P		






























































































#118 - REVISED Table 8-D										
State, County	Approximate Milepost	S Building Type (House, Shed, Garage, etc.)	Structures wit Occupied (yes/no)	hin 50 Feet of Direction from pipeline centerline (North, East, South, West)	the Southgate P Distance from Edge of closest workspace limit (feet)	roject Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /		
Virginia							r			
Pittsylvania	2.3	Shed	No	East	7	1,720	N/A	Protect		
Pittsylvania	2.3	Shed	Νο	East	0	1,821	N/A	Protect		
Pittsylvania	2.3	Shed	No	East	4	1,871	N/A	Protect		
Pittsylvania	2.3	Shed	No	East	19	1,967	N/A	Protect		
Pittsylvania	2.3	Shed	No	East	0	2,012	N/A	Protect		
Pittsylvania	4.5	1- Story House	Yes	East	4	735	RSS-H650-024	Use existing driveway (TA-PI-007) to pass by residences. Post both enter and exit caution/slow signage to alert contractors. Proposed Barricade Fence 100 linear feet from corner of house.		
Pittsylvania	4.5	Garage	No	East	0	663	RSS-H650-024	Protect		
Pittsylvania	4.5	Garage	No	East	0	748	RSS-H650-024	Protect		
Pittsylvania	4.5	Farm Stalls	No	East	10	880	N/A	Protect		
Pittsylvania	4.5	Barn	No	East	0	930	RSS-H650-024	Protect		
Pittsylvania	4.5	Well Pump House	No	East	17	921	N/A	Protect		
Pittsylvania	5.1	House	Yes	East	48	2,886	N/A	Protect		



	#118 - REVISED Table 8-D										
	Γ	S	Structures wit		the Southgate P	roject					
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Pittsylvania	6.5	Office	Yes	West	30	1,283	N/A	Protect			
Pittsylvania	9.0	Barn	No	West	10	1,445	N/A	Protect			
Pittsylvania	9.0	Barn	No	West	13	1,482	N/A	Protect			
Pittsylvania	9.0	Tobacco Shed	No	West	5	1,642	N/A	Protect			
Pittsylvania	10.3	2-Story House	Yes	East	34	59	RSS-H650-016	Protect – Proposed barricade fence.			
Pittsylvania	10.3	Porch	Yes	East	22	46	RSS-H650-016	Protect – Proposed barricade fence.			
Pittsylvania	10.3	Garage	No	East	29	54	RSS-H650-016	Protect			
Pittsylvania	10.3	Shed	No	East	0	10	RSS-H650-016	To be removed			
Pittsylvania	10.6	Shed	No	East	49	110	N/A	Protect			
Pittsylvania	10.7	House - 2 story	Yes	East	28	88	N/A	Protect			
Pittsylvania	10.8	Mailbox stone column	No	West	0	14	N/A	Remove			
Pittsylvania	10.8	Stone entry wall	No	West	0	0	N/A	Remove			
Pittsylvania	10.8	Stone entry wall	No	East	0	14	N/A	Remove			
Pittsylvania	13.1	Shed	No	East	11	205	N/A	Protect			
Pittsylvania	13.4	House - 1 story	Yes	West	51	91	N/A	Protect			
Pittsylvania	13.7	Old Cabin	No	West	0	40	N/A	Remove			



	#118 - REVISED Table 8-D										
		S	Structures wit	hin 50 Feet of	the Southgate P	roject					
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Pittsylvania	23	Shed	No	East	23	1757	N/A	Protect			
Pittsylvania	14.9	House	Yes	East	46	152	N/A	Protect			
Pittsylvania	15.9	Garage	No	East	5	55	N/A	Protect			
Pittsylvania	16.0	Shed	No	East	0	164	N/A	Protect			
Pittsylvania	16.3	Mobile home - single wide	Yes	East	28	86	N/A	Protect			
Pittsylvania	16.7	1-Story House	Yes	West	28	282	RSS-H650-029	Use existing driveway (TA-PI-041) to pass by residences. Post both enter and exit caution/slow signage to alert contractors.			
Pittsylvania	17.2	Barn	No	East	0	1,718	N/A	Protect			
Pittsylvania	17.2	House	Yes	East	31	1,857	N/A	Stay within access road TA-PI-043 limits.			
Pittsylvania	17.5	Shed	No	West	29	413	N/A	Protect			
Pittsylvania	18.4	Tobacco Shed	No	West	5	29	N/A	Protect			
Pittsylvania	18.4	Tobacco Shed	No	West	10	34	N/A	Protect			
Pittsylvania	19.1	Garage	No	East	46	108	N/A	Protect			
Pittsylvania	19.6	Shed	No	West	34	93	N/A	Protect			
Pittsylvania	19.9	Business - auto sales	No	West	35	288	N/A	Protect			
Pittsylvania	20.2	Garage	No	East	18	35	N/A	Protect			



			#1	18 - REVISED	Table 8-D			
		5	Structures wit	hin 50 Feet of	the Southgate P	roject		
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /
Pittsylvania	20.2	Mobile home	Yes	East	26	81	RSS-H650-004	Install safety fence at limit of workspace extending 100 feet from house.
Pittsylvania	20.3	Car awning	No	East	5	44	RSS-H650-005	Proposed barricade fence. Protect
Pittsylvania	20.3	Mobile home	Yes	East	26	61	RSS-H650-005	The workspace has been adjusted in this location. Proposed barricade fence. Protect
Pittsylvania	22.0	2-Story House	Yes	East	45	133	N/A	Protect
Pittsylvania	22.2	House - 1 story, fallen down	No	East	0	79	N/A	Protect if possible or Remove
North Carolina								
Rockingham	28.1	Shed	No	West	33	3,678	N/A	Protect
Rockingham	29.2	Shed	No	East	23	1,217	N/A	Protect
Rockingham	29.2	Shed	No	East	26	1,185	N/A	Protect
Rockingham	29.6	Mobile home	Yes	West	43	1,680	N/A	Protect
Rockingham	30.0	Barn	No	West	0	1,397	RSS-H650-030	Protect
Rockingham	30.0	House	Yes	West	30	1,422	RSS-H650-030	Stay within access road TA-RO-080 limits.
Rockingham	30.5	House - 1 story, abandoned	No	North	3	43	RSS-H650-031	Protect



	#118 - REVISED Table 8-D										
	T		Structures wit		the Southgate P	roject					
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Rockingham	30.5	House - 1 story	Yes	South	29	122	N/A	Protect			
Rockingham	30.7	House – 1 Story	Yes	East	40	100	N/A	Protect			
Rockingham	31.7	House - 1 story	Yes	North	46	86	N/A	Protect			
Rockingham	32.4	Shed	No	East	4	1,467	N/A	Protect			
Rockingham	32.5	1-Story House	Yes	East	20	1,430	RSS-H650-025	Stay within limits of access road TA-RO-085. Proposed barricade fence 100 linear feet from corner of house.			
Rockingham	34.1	Garage	No	East	38	500	N/A	Protect			
Rockingham	35.4	Shed - abandoned	No	North	0	232	N/A	Protect if possible or remove			
Rockingham	35.4	Mobile home	Yes	North	32	512	N/A	Protect			
Rockingham	36.4	Abandoned cabin	No	North	52	112	N/A	Protect			
Rockingham	36.4	Abandoned cabin	No	North	37	97	N/A	Protect			
Rockingham	36.5	Abandoned cabin	No	North	32	91	N/A	Protect			
Rockingham	36.5	Abandoned cabin	No	North	30	90	N/A	Protect			
Rockingham	36.5	Abandoned cabin	No	North	30	93	N/A	Protect			
Rockingham	36.7	Barn	No	South	25	64	N/A	Protect			
Rockingham	37.1	House - 1 story, abandoned	No	East	0	48	RSS-H650-032	Protect if possible or remove.			
Rockingham	37.1	House - 1 story	Yes	East	45	48	1,360	Protect			



	#118 - REVISED Table 8-D										
		S	Structures wit	hin 50 Feet of	the Southgate P	roject					
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Rockingham	40.3	Shed	No	East	9	35	N/A	Protect			
Rockingham	40.3	House - 1 story	Yes	East	26	65	RSS-H650-034	The workspace has been adjusted in this location. Proposed barricade fence.			
								Protect			
Rockingham	40.9	House	Yes	West	50	1,304	N/A	Protect			
Rockingham	41.8	Barn	No	North	25	804	N/A	Protect			
Rockingham	42.4	Shed	No	West	9	47	N/A	Protect			
Rockingham	43.1	Garage	No	East	5	46	N/A	Protect			
Rockingham	43.1	House – 1 Story	No	West	11	114	RSS-H650-039	Protect			
Rockingham	43.9	Shed, abandoned	No	South	2	886	N/A	Protect			
Rockingham	44.1	Shed	No	East	5	1,328	N/A	Protect			
Rockingham	44.1	Shed	No	East	0	1,615	RSS-H650-026	Protect			
Rockingham	44.1	1- Story House	Yes	East	3	1,612	RSS-H650-026	Stay within limits of access road TA-RO-122. Proposed barricade fence.			
Rockingham	45.0	House - 2 story, abandoned	No	West	26	110	N/A	Protect			
Rockingham	46.1	Storage building	Νο	North	24	718	N/A	Protect			



			#1	18 - REVISED	Table 8-D			
		S	Structures wit	hin 50 Feet of	the Southgate P	roject		
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /
Rockingham	46.1	Mobile home	Yes	North	32	925	N/A	Protect
Rockingham	46.1	1-Story House	Yes	South	16	1,675	RSS-H650-027	Stay within limits of access road TA-RO-127. Proposed barricade fence.
Rockingham	46.1	Mobile home	Yes	South	38	1,675	N/A	Stay within limits of access road TA-RO-127.
Rockingham	49.1	House - 2 story, log cabin, abandoned	No	Crosses	0	0	RSS-H650-001	To be removed
Rockingham	49.2	Dilapidated shack	No	West	0	3	RSS-H650-002	To be removed
Rockingham	49.2	Smoke House	No	East	0	10	RSS-H650-002	To be removed
Rockingham	49.3	Chicken coop	No	Crosses	0	0	RSS-H650-002	To be removed
Rockingham	49.3	Shed	No	East	0	31	RSS-H650-002	To be removed
Rockingham	49.3	House - 2 story, abandoned	No	East	11	59	RSS-H650-002	The workspace has been adjusted in this location Protect
Rockingham	49.3	Shed	No	East	0	62	N/A	Relocate if possible, or remove.
Rockingham	49.8	Car awning	No	South	44	635	N/A	Protect
Rockingham	52.6	Tractor awning	No	North	21	153	N/A	Protect
Alamance	52.9	1-Story House	Yes	East	32	125	N/A	Protect
Alamance	53.0	Barn, abandoned	No	East	7	154	N/A	Protect



	#118 - REVISED Table 8-D										
State, County	Approximate Milepost	S Building Type (House, Shed, Garage, etc.)	Structures with Occupied (yes/no)	hin 50 Feet of Direction from pipeline centerline (North, East, South, West)	the Southgate P Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Alamance	53.0	Barn, abandoned	No	East	20	155	N/A	Protect			
Alamance	53.0	Shed	No	East	0	33	N/A	Relocate if possible, or remove.			
Alamance	53.0	Falling down wood building	No	East	0	57	N/A	Remove			
Alamance	54.7	Barn	No	West	5	1,976	N/A	Protect			
Alamance	54.7	Barn	No	West	15	2,071	N/A	Protect			
Alamance	54.7	Barn	No	West	0	2,058	N/A	Protect			
Alamance	54.7	Barn	No	West	0	2,210	N/A	Protect			
Alamance	54.7	House	No	West	28	2,215	N/A	Protect			
Alamance	54.7	House, 1-Story	Yes	West	29 <u>b</u> /	2,100	RSS-H650-040	Protect			
Alamance	56.8	Shed	No	West	10	219	N/A	Protect			
Alamance	57.3	Shed	No	East	17	73	N/A	Protect			
Alamance	57.3	Garage	No	East	15	106	N/A	Protect			
Alamance	57.8	Barn, abandoned	No	East	6	120	N/A	Protect			
Alamance	57.8	Mobile home	Yes	North	26	83	RSS-H650-008	The workspace has been adjusted in this location. Proposed barricade fence. Protect			
Alamance	58.6	Old Cabin	No	South	0	84	N/A	Protect if possible, likely to be removed			



#118 - REVISED Table 8-D										
		S	Structures wit	hin 50 Feet of	the Southgate P	roject				
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /		
Alamance	58.6	Old Cabin	No	South	0	14	N/A	Protect if possible, likely to be removed		
Alamance	59.1	1-Story House	Yes	South	43	115	N/A	Protect		
Alamance	59.1	Shed	No	South	0	91	N/A	Protect		
Alamance	59.2	1-Story House	Yes	South	44	84	N/A	Protect		
Alamance	62.4	Shed	No	North	0	334	N/A	Protect		
Alamance	62.7	1-Story House	No	North	6	515	RSS-H650-037	Protect		
Alamance	62.5	Barn	No	North	9	62	N/A	Protect		
Alamance	67.0	Barn	Νο	West	4	63	N/A	Protect		
Alamance	67.3	1-Story House	Yes	West	12	795	RSS-H650-028	Stay within limits of access road TA-AL-180. Proposed barricade fence 100 linear feet from corner of house.		
Alamance	67.3	1-Story House	Yes	West	18	1,013	RSS-H650-028	Stay within limits of access road TA-AL-180. Proposed barricade fence 100 linear feet from corner of house.		
Alamance	67.3	1-Story House	Yes	West	8	921	RSS-H650-028	Stay within limits of access road TA-AL-180. Proposed barricade fence 100 linear feet from corner of house.		
Alamance	67.3	Barn	Yes	West	15	708	RSS-H650-028	Protect		
Alamance	67.3	Barn	Yes	West	2	600	RSS-H650-028	Protect		



	#118 - REVISED Table 8-D										
	r	5	Structures wit		the Southgate P	roject					
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Alamance	67.9	Barn	No	East	6	1,146	N/A	Protect			
Alamance	68.2	1-Story House	Νο	South	10	857	RSS-H650-038	Protect			
Alamance	68.2	House	No	South	28	1203	N/A	Protect			
Alamance	68.2	House	Yes	North	43	1055	N/A	Protect			
Alamance	68.2	Mobile home	Νο	South	28	1143	N/A	Protect			
Alamance	68.2	Car port	Νο	North	34	655	N/A	Protect			
Alamance	68.6	Barn	No	North	0	76	N/A	Protect			
Alamance	69.1	2-Story House	Yes	East	26	88	RSS-H650-009	Install safety fence at limit of workspace extending 100 feet from house. Protect			
Alamance	69.3	Shed	No	North	7	66	N/A	Protect			
Alamance	69.4	Chicken / rabbit coop	No	North	0	0	N/A	Remove or Relocate			
Alamance	69.3	Shed	No	North	0	4	N/A	Remove or Relocate			
Alamance	69.4	Shed in concrete	No	North	28	87	N/A	Protect			
Alamance	69.5	Shed	No	East	48	117	N/A	Protect			
Alamance	69.5	Shed	No	North	43	103	N/A	Protect			



	#118 - REVISED Table 8-D										
		5	Structures wit	hin 50 Feet of Direction	the Southgate P	roject					
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Occupied (yes/no)	Direction from pipeline centerline (North, East, South, West)	Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Alamance	69.5	Warehouse	No	South	32	335	N/A	Protect			
Alamance	69.6	1-Story House	Yes	West	6	31	RSS-H650-017	Install safety fence at limit of workspace extending 100 feet from road right-of-way and extending 100 feet from the house to the north.			
Alamance	69.6	Portable Building	No	East	38	100	N/A	Protect			
Alamance	69.6	Business - textiles	No	East	17	36	N/A	Protect			
Alamance	69.7	2-Story House	Yes	East	8	33	RSS-H650-018	Install safety fence at limit of workspace from road right-of-way and extending 100 from the house to the south.			
Alamance	69.7	Fire House	No	West	4	44	RSS-H650-018	Protect			
Alamance	69.7	Garage	No	East	31	91	N/A	Protect			
Alamance	69.7	Business	No	West	0	38	N/A	Protect			
Alamance	69.7	Pavilion	No	West	0	0	N/A	Remove			
Alamance	69.8	Garage	No	West	6	100	N/A	Protect			
Alamance	69.8	Shed	No	West	0	27	N/A	Remove or Relocate			
Alamance	69.8	Shed	No	East	0	0	N/A	Remove or Relocate			
Alamance	69.8	Shed	No	East	0	0	N/A	Remove or Relocate			



	#118 - REVISED Table 8-D										
State, County	Approximate Milepost	S Building Type (House, Shed, Garage, etc.)	Structures wit Occupied (yes/no)	hin 50 Feet of Direction from pipeline centerline (North, East, South, West)	the Southgate P Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /			
Alamance	69.8	Barn	No	West	10	100	N/A	Protect			
Alamance	69.8	1-Story House	Yes	West	26	56	RSS-H650-006	Exclude house from ATWS by installing safety fence around the house, leaving the front (street side) of the house open for occupant access. Protect			
Alamance	70.0	Pump House	No	East	44	154	N/A	Protect			
Alamance	70.7	Shed, fallen down	No	West	35	76	N/A	Protect			
Alamance	71.4	Green House	No	East	48	107	N/A	Protect			
Alamance	71.4	Green House	No	East	38	100	N/A	Protect			
Alamance	72.2	Shed	No	East	42	174	N/A	Protect			
Alamance	72.7	Garage	No	East	32	97	N/A	Protect			
Alamance	72.8	Shed	No	East	16	64	N/A	Protect			
Alamance	72.8	Garage	No	West	48	56	RSS-H650-015	N/A			
Alamance	72.8	Garage	No	East	0	0	RSS-H650-015	To be removed			
Alamance	72.8	Camper	No	East	0	0	RSS-H650-015	To be removed			
Alamance	72.9	Garage	No	East	39	99	N/A	Protect			



			#1	18 - REVISED	Table 8-D			
State, County	Approximate Milepost	Building Type (House, Shed, Garage, etc.)	Structures wit Occupied (yes/no)	hin 50 Feet of Direction from pipeline centerline (North, East, South, West)	the Southgate P Distance from Edge of closest workspace limit (feet)	Distance From Centerline of easement (feet)	Residential Construction Plan Number <u>a</u> /	Mountain Valley Proposed Action <u>a</u> /
Alamance	72.9	Mobile home	Yes	N/A	0	37	RSS-H650-036	Protect
Alamance	72.9	1-Story House - Abandoned	No	N/A	0	0	RSS-H650-036	To be removed
Rockingham	CY-05	House - 1 story	Yes	West	0	15,620	RSS-H650-003	Install safety fence around the house at a 1- foot off-set from the property line and 15-foot offset from the house.
Rockingham	CY-05	Fuel bays	No	West	0	15,418	N/A	N/A
Rockingham	CY-05	Truck stop	No	West	0	15,368	N/A	N/A
Rockingham	CY-05	Garage bays	No	West	0	15,325	N/A	N/A
Rockingham	CY-05	Warehouse	No	West	0	14,825	N/A	N/A
Rockingham	CY-05	Garage	No	West	0	14,725	N/A	N/A
Rockingham	CY-08	Garage	No	West	50	14,189	N/A	N/A
Guilford	CY-09	Commercial	No	West	20	54,620	N/A	N/A
Pittsylvania	CY-03	Warehouse	No	East	0	58,418	N/A	N/A
Pittsylvania	CY-01	House - 1 story	No	North	0	1,511	RSS-H650-033	Install safety fence around the house at a 1- foot off-set from the property line.
Pittsylvania	CY-01 -C. N/A = Not App	Garage	No	North	0	1,586	RSS-H650-033	Install safety fence around the house at a 1- foot off-set from the property line.





## **MVP Southgate Project**

Docket No. CP19-14-000

Attachment 7

**KMZ Files** (Provided Under Separate Cover)

May 2019